

YOUR SPACE. YOUR STYLE.

A shower that feels made for you.

Frameless hinged, sliding and walk-in screens.

A considered guide to choosing your layout, glass and finish.




Fittings and bathroom details are indicative.

Choose. Measure. Make it yours.

Start with the way you move through your bathroom. Then find your closest stock combination with the Glass House Shower Screen Designer.


Room to move.

Your bathroom layout helps decide where the glass sits and how the door opens. Compare the options before choosing your size.



Hinged showers

Glass-hinged doors use an adjacent hinge panel. Wall-hinged doors fix directly to the wall. Choose wall-to-wall or front-and-return layouts. Hinged doors swing inward and outward; allow clearance for both directions.



Sliding showers

An exposed-roller system for wider openings, with inline and corner layouts. Documented stock combinations cover 1200-1940mm front openings. Overlap and clear entry depend on the selected glass.



Walk-in fixed panels

Keep entry open with a single fixed panel. Choose a straight top or rounded corner. Fixed screens are 2050mm high; support and fixing positions need an installation check.

TIP Try both door sides and reverse the layout in the live preview.

Detail makes the difference.



Reeded-glass lifestyle illustration.

Clear or narrow reeded.

Clear glass keeps the space visually open. Ultraclear narrow reeded glass brings vertical texture to the rounded-corner walk-in panel.

Narrow reeded stock sizes

897 / 997 / 1197mm wide
2050mm high, 10mm thick
200mm top-corner radius
Left- and right-hand corners

Premium materials. Beautifully finished.

High-quality solid brass hardware

Our hinged-system hinges, handles and glass brackets are crafted from solid brass for a substantial, premium feel. Sliding-system fittings use their specified stainless steel construction.

Exceptional glass, down to the edges

Premium-quality toughened glass with beautifully flat-polished edgework and fine 1mm radius corners for a refined finish. Rounded-corner panels also feature their distinctive 200mm top radius.

Find your finish.

Six finishes in the designer. Availability varies by fitting and kit; confirm the complete selection before ordering.



Chrome



Matt Black



Brass / Gold



Brushed Nickel



Matt White



Gunmetal

L angle braces are available in polish or satin. Square support arms are available in chrome or matt black. The designer limits incompatible L-brace choices.

A good fit starts here.

Measure once the tiling is finished. Record sizes in millimetres.


01 Wall to wall

Measure between the finished walls at the top, middle and bottom. Use a level or laser level to check wall plumb and floor level.

02 Front and return

Front: from the finished side wall to the outside face of the proposed return glass.

Return: from the finished back wall to the front face of the inline glass, at the bottom.



Screen height is fixed at 2050mm. Door glass is slightly shorter for its hardware and floor clearance. Check overhead clearance and door swing before installation.

If walls are not plumb, consider a wall channel within its adjustment limits. Confirm the fixing and all measurements with your installer.

The right fit. The final details.

Choose your wall fixing

Wall brackets

Best suited to plumb, square walls, with very little adjustment.

Aluminium U channel

Dry-glaze fixing for some out-of-square walls. Up to 6mm out of square is listed separately from its up to 3mm width adjustment.

Extended Aluminium U channel

35 x 16mm profile, up to 15mm width adjustment. Glass edge sits 10-25mm from the wall; glass engagement must be checked.

Supports & optional extras

For hinged front-and-return screens, choose a glass header with brackets or a 200mm-radius corner shelf with one wall bracket. Wall-to-wall designs offer a corner shelf or adjustable corner arm. Positions and suitability need confirmation.

Walk-in support extras include adjustable corner arms, round or square support arms and L braces. Add setting blocks, bathroom silicone and an EnduroShield treatment kit at the final review step. Selected extras update the estimate.

Start your design.

glasshouseau.com

Supply only. Stock toughened glass cannot be cut to fit. Illustrations are indicative. Matched-item estimates are not verified complete-kit prices; final availability, fit, components and GST are confirmed before ordering.